

**To:** Hanson, Kristen[KHanson@ldftribe.com];  
Christopher.Saari@wisconsin.gov[Christopher.Saari@wisconsin.gov]  
**Cc:** Kamke, Sherry[Kamke.Sherry@epa.gov]  
**From:** Egan, Robert  
**Sent:** Fri 9/9/2016 3:39:00 PM  
**Subject:** RE: Tower Standard Schedule

Kristen,

I believe that Chris is out today. I am out after noon today until September 19.

If something can be set up for next week, Sherry Kamke may be available to sit in for me, but I do not know her schedule.

Bob Egan

Corrective Action Manager

Underground Storage Tanks Section

RCRA Branch

EPA Region 5

(312) 886-6212

(312) 692-2911 (fax)

**From:** Hanson, Kristen [mailto:KHanson@ldftribe.com]  
**Sent:** Friday, September 09, 2016 10:24 AM  
**To:** Christopher.Saari@wisconsin.gov; Egan, Robert <egan.robert@epa.gov>  
**Subject:** FW: Tower Standard Schedule

Good Afternoon Chris,

I am available for a rescheduled technical call today and all next week. It looks like Bob is out next week though. Do you have time today?

***Kristen Hanson***

Environmental Specialist

Tribal Natural Resource Department

Lac du Flambeau Band of Lake Superior Chippewa Indians

*Phone: (715)588-4290*

*Cell: (715)614-4644*



**From:** Egan, Robert [<mailto:egan.robert@epa.gov>]

**Sent:** Wednesday, September 07, 2016 3:02 PM

**To:** Saari, Christopher A - DNR; Hanson, Kristen; Dave Larsen ([dlarsen@reiengineering.com](mailto:dlarsen@reiengineering.com))

**Subject:** RE: Tower Standard Schedule

Hi Chris,

We do need to talk if possible. I know that Kristen is in the field today and tomorrow with LIF work. My contractor is waiting for that information to develop some recommendations and we don't have our MiHPT figures back yet.

Can we try to talk to Cascade for their interpretation of the data gathered so far? We will need to think ahead toward remediation and placement of additional wells.

I will be out next week but am here the rest of this week.

Thanks for the reminder.

Bob

Bob Egan

Corrective Action Manager

Underground Storage Tanks Section

RCRA Branch

EPA Region 5

(312) 886-6212

(312) 692-2911 (fax)

**From:** Saari, Christopher A - DNR [<mailto:Christopher.Saari@wisconsin.gov>]

**Sent:** Wednesday, September 07, 2016 2:50 PM

**To:** Egan, Robert <[egan.robert@epa.gov](mailto:egan.robert@epa.gov)>; [KHanson@ldftribe.com](mailto:KHanson@ldftribe.com); Dave Larsen  
([dlarsen@reiengineering.com](mailto:dlarsen@reiengineering.com)) <[dlarsen@reiengineering.com](mailto:dlarsen@reiengineering.com)>

**Subject:** Tower Standard Schedule

Good Afternoon:

I was looking at the proposed schedule that we came up with way back at our Tower Standard meeting in May, and it looks like we're about a month behind where we thought we'd be in terms of evaluating and selecting a remedy. Any suggestions for moving this ahead and getting us back on track?

I know John Robinson sent a message out in late August trying to reschedule our technical group/project management team call that had been originally scheduled for August 25, but it looks like the dates that worked for most respondents have already passed. I think we need to reestablish communications here soon or we could end up losing what's left of this field season.

**We are committed to service excellence.**

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

Chris Saari  
Hydrogeologist – Remediation and Redevelopment Program  
Wisconsin Department of Natural Resources  
Phone: (715) 685-2920  
Fax: (715) 685-2909  
[Christopher.Saari@Wi.gov](mailto:Christopher.Saari@Wi.gov)

